



Epson DC-11

Quality Classroom Demonstrations Made Easy

5 megapixel sensor, 30 frames per second video
12" x 17" capture, 10x zoom, Auto Select SXGA/WXGA/XGA
A/V Capture, built-in microphone, Advanced Software for PC/Mac
USB/VGA/Composite/SD slots, microscope adapter included
Split screen feature, Built-in LED light, 1GB memory

Epson DC-11 DOCUMENT CAMERA


The perfect partner to Epson projectors — the best-selling projectors in the world.

Epson understands education and has a solution no matter what your teaching scenario. Built with image quality and reliability in mind, Epson projectors enhance communication and inspire collaboration, while offering a low total cost of ownership. From long-throw projectors designed for traditional educational settings to ultra-short-throw, interactive, and all-in-one solutions built for progressive classrooms, Epson has the model made for you.



Auto-select output resolution (SXGA, WXGA, XGA) for easy setup and operation

The DC-11 automatically detects the native aspect ratio of Epson projectors and selects the output resolution to match. It is capable of displaying SXGA, WXGA and XGA resolutions. And, it can be used with the latest generation widescreen computers.





Intuitive buttons and icons

Amazing image quality and performance

- 5-megapixel sensor for high quality images
- 30 frames-per-second video at full resolution for ultra smooth video performance
- 10x digital zoom, including 2x lossless for ultra sharp detail









▲ Remote included

Better Products for a Better Future™

For more information on Epson's environmental programs, go to www.epson.com.au/company/environment



Eco Features

RoHS compliant

You asked, we delivered

Fast, simple setup with advanced connectivity and flexible teaching tools

- Versatile connectivity including:
 - USB for easy connection to a PC/Mac®
 - VGA and Composite for easy connection to a projector
 - Built-in SD card slot
- Capture area makes it easy to display two full pages
- Simultaneously display live and captured images using the split-screen function
- Microscope adapter included allows the entire class to see a magnified image at the same time
- Store images with 1GB internal memory or export images to an SD card



Built-in SD card slot



VGA and Composite connection to a projector

(Microscope not included)



Additional Features/Benefits

- Great positioning flexibility camera head rotates
 90 degrees vertically and horizontally to capture many angles
 - Can be used as a webcam to capture the classroom
 - Portrait and Landscape rotation capability
- Intuitive buttons and icons for easy navigation and control
- Remote control included for your convenience
 - Enables teachers to walk freely around the room
 - Controls both the Epson DC-11 and your Epson projector

Easy audio/video capture using included software — PC and Mac compatible

- Built-in microphone to record audio with video
- Make annotations over live and captured images
- Time-lapse capture to demonstrate activities such as the growth of plants, organic processes and more
- With your PC, easily upload what you've captured to popular education websites like SchoolTube[®] and YouTube^{®1}
- Tag captured images/videos for easy file management and organization











Time-lapse capture function

Sleek, durable design with security features

- Convenient, compact design saves space on your desktop and makes setup quick and easy
- · Durable design with robust metal arm
- Kensington[®] lock support, built-in security bar and mounting holes for added peace of mind



Security bar

Epson DC-11



PRODUCT NAME	Epson ELP-DC11 Docum	ent Camera	IMAGE ROTATION		
PRODUCT CODE	V12H377053		Horizontal	±90°	
SPECIFICATION			Vertical	±90°	
VIDEO			ANALOGUE OUTPUT STANDARD	NTSC/PAL	
Pick-up Device	1/4" CMOS Sensor		MIC	Included (Internal MIC)	
Effective Pixels	5M Pixels		MEMORY	moladoa (mtornar wiro)	
Frame Rate		MAX 30ps	MEMOITI	Internal Memory	Included / 1GB
Output		SXGA/XGA/WXGA		SD Card	SD Compatibility
output	USB	QVGA/VGA/SVGA/XGA/	SPECIFICATIONS OF MAIN PARTS	SD Gaiu	3D Compatibility
	UOD		SPECIFICATIONS OF MAIN PARTS	Image Pickup Device	CMOS
White Delenes	A to	SXGA/UXGA/			CMOS
White Balance	Auto			Optical Format	1/4.2"
Exposure	Auto			Total No of pixels	2,592(H)*1,944(V),
Brightness	Auto				5.03M Pixels
OPTICAL SYSTEM				No of Effective Pixels	1,600(H)*1,200(V),1.92
Lens	F=2.8				Pixels
Shooting Area	11.7"×16.5"		Sensor	Aspect Ratio	4:3
Digital Zoom	10 x Digital (incl. loss-les		Lens	F-Number	2.8
Focus	Auto (Need to press "AF	Button")		Field of View	66.8°
Iris	Auto		USB INTERFACE CLASS		USB Video Class
ILLUMINATION SYSTEM					USB Audio Class
Upper	White LED×2				USB Mass Storage Class
Brightness	250l x (Shooting area: A3	3)	INTERFACE PORT		
GENERAL	(*)	,	I/F Port	Input	VGA, Built-in MIC
Operating Temperature	5 °C to 35 °C <41 °F to	95 °F>		Output	VGA, USB-B
Operating Humidity	20%-80%	00 12		output	Composite Video
Dimension (Excl. protruding parts)	270 x 326 x 437mm (Op	ien)	COMPATIBILITY for OS		Composito video
Difficition (Exci. producing parts)	270 x 192 x 244mm (Foli		PC	Windows XP SP2 or late	ar Windowe Vieta
Weight	Approx. 2.2Kg		10	Windows 7/ Mac X 10.5 and 10.6	
Theft Proof	Kensington Lock - Included		OSD	Included /13 languages	
THEIL FIOOI	•		LANGUAGE	0 0	
	Security Bar - Included			Manual – User Guide	29 Languages
FUNCTION	Security Lock Hole - Included		ACCESSORIES	In almala at // IOD A // IOD	
FUNCTION	40.7		USB Cable	Included (USB-A/USB	
Zoom	10 Times (incl.loss-less zo		External AC Power Adapter	Included	
	Loss-less Zoom	2 Times *Only XGA/WXGA	with Power Cord		
		Output	Application Software	Included	
		**1.9 times at SXGA output	Remote Control	Included	
Freeze, Auto focus	Available		AA Batteries	Included x 2	
LED	Available		Quick Set-up Guide	Included	
Brightness, Contrast	Available		VGA Cable	Included	
Negative, B&W	Available		User's Manual Set	CD-Rom	
Split Screen, Slideshow	Available		APPLICATIONS SOFTWARE		
Video Capture *Call the PC APP	Available		Name	Application Software for Epson Document Camera	
Digital Scroll Pan/tilt	Available		Language	29 Languages	
Flicker Reduction	Available		Annotation (Live/Still image)	Included	
Image Rotation	Available		Edit, Preview	Included	
Source (PC/DC)	Available		Video, Still Image Capture	Included	
Auto Detect Aspect Ratio	Available		Time Lapse	Included	
POWER	Available		Web Upload	Included	
	100/ 240/ AC/DC			Included	
Power Supply Voltage	100V-240V AC/DC		Intelligent File Management		
Power Frequency	50/60Hz		SAVING FORMAT	Still image: Jpeg, BMP	MV MDEO AV"
Output Voltage of	DC 12V			Video (for Windows): WI	VIV, MPEG, AVI
AC Power Adapter				Video (for Mac): MOV	
Power Consumption	14.5W		WARRANTY		
Power Consumption (Stand-by Mode	e) Less than 0.5W		Standard Warranty	12 months	





Epson is the registered trademark of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice.

EPSON AUSTRALIA

3 Talavera Road North Ryde NSW 2113

Tel: (02) 8899 3666 www.epson.com.au

EPSON NEW ZEALAND

Level 2, 7-9 Fanshawe Street

Auckland, 1010 Tel: (09) 366 6855 www.epson.co.nz ABN 91 002 625 783

09/12