WorkForce Enterprise WF-M20590

WorkForce Enterprise mono A3 multi-function device

Lead the charge for a better future

Smarter. Greener. Faster



Revolutionary high-speed mono business inkjet multi-function device

The WorkForce Enterprise WF-M20590 business inkjet device combines ultra-fast performance with ultra-low energy consumption that only inkjet can offer.


Designed for printing high volume jobs at peak periods, this environmentally smart multi-function business device is capable of delivering consistently superb print quality at superfast speeds up to 100 ppm.

With high capacity inks producing up to 120,000 pages, an optional 5350-sheet paper input and 4000-sheet finisher unit with stapling, and no warm-up time required, you can run jobs without interruption. Prints are ready the moment you get to the device, helping to maintain optimum productivity when you need it most.

Epson's advanced heat-free PrecisionCore printhead technology has the flexibility required to make WorkForce Enterprise possible, thanks to its use of liquid ink. This promotes space-saving supplies, low power consumption and reduces environmental impact.

This revolutionary high-speed mono multi-function device delivers key business benefits:

- Highest speed in its class¹ so you can meet business-critical deadlines
- Consistent print quality from the first page to the last page to provide crystal clear picking slips and reports
- High-yield consumables means lower running costs, more uptime and less staff disruptions
- Heat-free print process reduces electricity costs, CO₂ emissions, and enables reliable envelope and label printing



WorkForce business printers: Where quality meets efficiency

9-inch colour touch panel display


High speed dualscan (Simplex / Duplex: 60 / 85 ipm)

Efficiency champion

Cut the environmental impact of print with a low power solution that uses fewer supplies, without affecting output quality.

The WorkForce Enterprise uses up to 84% less energy¹ when printing compared to an average laser printer. It not only lowers printer-related electricity costs and CO₂ emissions, it also requires fewer supplies.

Producing less waste and consuming fewer supplies, this is a printer that improves the overall sustainability of your business. Moreover, it's outstanding reliability means less downtime. Power, efficiency and speed come together in a space saving design.



```
Simple cool, contactless technology
```

Advanced integration

Complex technology using heat and pressure

Take advantage of remote management, customise your print options and enjoy seamless compatibility with a wide range of tools and software that can be integrated into your existing IT infrastructure to improve productivity and increase efficiency.

Epson Print Admin



Epson Device Admin

Control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Epson Open Platform (EOP)

Gain complete control of your printing operations via a range of partner solutions, such as PaperCut[®], that enable you to adapt the WorkForce range of printers to meet specific and changing business requirements. All these solutions help you better manage your office printing.

Boost productivity and monitor print usage via a server-based solution that creates a secure printing, scanning and copying environment through user-authentication.

Product specifications

| Printing MethodPrecisionCore on-demand ink jet (piezoelectric)Print Speed ISO/IEC 24734 (A4)up to 100 pages per minuteDuplex Print Speed ISO/IEC 24734 (A3)up to 100 pages per minutePrint Speed ISO/IEC 24734 (A3)up to 54 pages per minuteDuplex Print Speed ISO/IEC 24734 (A3)up to 36 pages per minuteWarm-up Time0 secondsFirst Page from Ready5 secondsMaximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per monthRecommended20,000 to 100,000 pages per month | |
|---|-----------------|
| Print Speed ISO/IEC 24734 (A4)up to 100 pages per minuteDuplex Print Speed ISO/IEC 24734 (A4)up to 100 pages per minutePrint Speed ISO/IEC 24734 (A3)up to 54 pages per minuteDuplex Print Speed ISO/IEC 24734 (A3)up to 36 pages per minuteWarm-up Time0 secondsFirst Page from Ready5 secondsMaximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Duplex Print Speed ISO/IEC 24734 (A4)up to 100 pages per minutePrint Speed ISO/IEC 24734 (A3)up to 54 pages per minuteDuplex Print Speed ISO/IEC 24734 (A3)up to 36 pages per minuteWarm-up Time0 secondsFirst Page from ReadySecondsMaximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Print Speed ISO/IEC 24734 (A3)up to 54 pages per minuteDuplex Print Speed ISO/IEC 24734 (A3)up to 36 pages per minuteWarm-up Time0 secondsFirst Page from Ready0 secondsMaximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Duplex Print Speed ISO/IEC 24734 (A3)up to 36 pages per minuteWarm-up Time0 secondsFirst Page from Ready0 secondsMaximum Resolution5 secondsDefault Mono Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Warm-up Time0 secondsFirst Page from Ready0 secondsMaximum Resolution5 secondsDefault Mono Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| First Page from Ready5 secondsMaximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Maximum Resolution600 x 2,400 dpi (with Variable-Sized Droplet Technology)Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| Default Mono Resolution600 x 1,200HDD Capacity320GB (Encrypted)Duty Cycle (maximum)400,000 pages per month | |
| HDD Capacity 320GB (Encrypted) Duty Cycle (maximum) 400,000 pages per month | |
| Duty Cycle (maximum) 400,000 pages per month | |
| | |
| | |
| PRINT FEATURES | |
| | |
| | |
| | |
| Emulations PCL5c, PCL6, PostScript Level 3, PDF (ver1.7) | |
| Printer Language(s) ESC/P-R, ESC/Page, ESC/Page-Colour | |
| CONTROL PANEL | |
| LCD Screen 22.7 cm | |
| COPY FUNCTION | |
| Copy Resolution 600 x 1200 | |
| Reduction/Enlargement 25 – 400%, Auto-fit function | |
| Maximum Copy Size A3, 11x17" | |
| Copy Paper Size (Flatbed) A3, B4, Legal, Letter, A4, B5, A5, B6, A6, 16K, 8K, #10, DL, C4, C5, C6 | |
| SCAN FUNCTION | |
| Scanner Type Flatbed colour image scanner | |
| Maximum Resolution 9600 dpi interpolated | |
| Compatibility and Output Formats TWAIN, WIA, ICA and JPEG, TIFF, PDF | |
| Maximum Scan Area 297 x 431.8 mm | |
| Scan to Memory Device Yes (USB Host) | |
| Scan to Network Folder/FTP Yes | |
| Scan to Email Yes | |
| Scan to Computer Yes (via Document Capture Pro) | |
| Scan to Computer (WSD) Yes | |
| Speed (single-pass, double-sided) Mono/ Colour 200dpi: 60 ipm (single-sided), 110 ipm (duplex), Mono/ Colour 300dpi: 60 ipm (single-sided), 8 | 35 ipm (duplex) |
| ADF FUNCTION | |
| Support Paper Thickness 52 – 128 gsm | |
| Capacity / Max Number of Originals 150 sheets (80 gsm) or less than 16.5 mm | |
| Automatic 2-sided Scan/Copy Scan – Yes, Copy – Yes | |
| Maximum Document Size A3 | |
| PRINTER INTERFACE | |
| USB 1.1, USB 2.0 Type A, USB 3.0 Type B | |
| Ethernet 1000Base-T / 100Base-T / 10Base-T | |
| Wireless IEEE 802.11b/g/n | |
| Wi-Fi Direct Yes | |
| PAPER HANDLING | |
| Number of Paper Trays and Weights 5 (MP, Cassette1~4) and 60 to 350 gsm | |
| Max Paper Size A3+ | |
| Formats A3, A3+, A4, A5, A6, Legal, Letter, B4, B5, B6, 16K, 8K, Exec, HLT, Envelopes: #10, DL, C4, C5, C6, Postcard: | user-defined |
| PAPER CAPACITY 2,350 sheets Standard (max 5,350 sheets) | |
| Input Capacity: Cassette 1 550 sheets (80 gsm) | |
| Standard Cassette 2 550 sheets (80 gsm) | |
| Standard Cassette 3 550 sheets (80 gsm) | |
| Standard Cassette 4 550 sheets (80 gsm) | |
| | |
| Multi Purpose Tray 150 sheets (80 asm), 30 sheets (Thick Paner 4, 5 (161~350 asm), 10 sheets (Envelope) | |
| Multi Purpose Tray 150 sheets (80 gsm), 30 sheets (Thick Paper 4, 5 (161~350 gsm), 10 sheets (Envelope) Optional High Capacity Unit 3 000 sheets (80 gsm) | |
| Optional High Capacity Unit 3,000 sheets (80 gsm) | |
| | |

| ELECTRICAL SPECIFICATIONS | |
|--|--|
| Power Supply | 230v / 50Hz |
| Typical Electricity Consumption (*Based on TEC test) | 1.3 kWh |
| Copying and Printing | Approx 180 watts |
| Ready Mode | Approx 77 watts |
| Sleep Mode | Approx 1.4 watts |
| Power Off Mode | Approx 0.4 watts |
| Maximum Power Consumption | 320 watts |
| PRINTER SOFTWARE | |
| Operating System Compatibility: Windows** | Windows XP SP3 or later / XP Professional x64 Edition SP2 or later / Vista / 7 / 8 / 8.1 / 10, Server 2003 SP2 or later / 2003 R2 / 2008 R2 / 2012 / 2012 R2 / 2016 / 2019 |
| Мас | Mac OS X 10.6.8, OS X 10.7.x, OS X 10.8.x, OS X 10.9.x, OS X 10.10.x, OS X 10.11.x, OS 10.12.x, OS 10.13.x, OS 10.14.x |
| CONNECTIVITY | |
| Network Printing Protocols | LPR, FTP, IPP, LPD, Port 9100, TCP/IPv4, TCP/IPv6, IPSec, WSD-Print |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, Ping, SMTP, TCP/IPv4, TCP/IPv6, IPSec, IEEE 802.1X, DCHP, HTTPS, LDAP, SNMP 3.0 |
| WLAN Security | WEP 64 Bit, WEP 128 Bit, WPA2 Enterprise, WPA2 PSK (AES) |
| Network Protocols | TCP/IPv4, TCP/IPv6, TCP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS |
| SECURITY FUNCTIONS | |
| Epson Print Admin and Serverless | Yes |
| Epson Open Platform | Yes |
| Limit Access Function and PIN Certification | Yes |
| LDAP Address Book and IP Address Filtering | Yes |
| Panel Admin Mode | Yes |
| OPTIONS / ACCESSORIES | |
| Optional High Capacity Feeder | Yes |
| Finisher (includes Bridge Unit) | Yes |
| Cassette Lock | Yes (4 cassette locks per 1 box) |
| Staple Cartridge | Yes (Supplies) (3 cartridges per 1 box (5,000 staples per 1 cartridge) |
| DIMENSIONS & WEIGHT (out of packaging) | |
| Printer Dimensions (WxDxH) | W 674 x D 757 x H 1231 mm |
| Printer Weight | 179.0 kg |
| MOBILE AND REMOTE PRINTING | |
| Google Cloud Print | Yes |
| Mopria | Yes |
| Email Print and Epson iPrint Mobile App | Yes |
| Scan to Cloud | Yes |
| Remote Print Driver | Yes |
| NFC FUNCTIONS | |
| Wi-Fi Pairing | Yes |
| FINISHER (OPTIONAL) | |
| Function: Shifting | Yes |
| Stapling | 3 positions (Corner / Opposite Corner / 2 points on side), 1 cartridge of 5,000 staples is bundled in the default state) |
| Supported Paper Thickness | 60 - 160 gsm |
| Paper Size | A3, 11x17", B4, Legal, 8.5x13", Letter, A4, B5, Executive, A5, Half Letter, 8K (270x390), 16 K (195x270), User Defined (Width : 139.7~297mm Height : 182~431.8mm) |
| Output Capacity | Finisher Tray : 4,000 sheets (Simplex, A4, B5, Letter, 16K 195x270), 500 sheets (A5) |
| Paper Sizes Supported for Stapling | A3, A4 (SEF)/(LEF), B4, B5(LEF), Legal(SEF), Letter(SEF)/(LEF), 8K (270x390 (SEF), 16K (195x270) (LEF) |
| Staple Position | Front / Rear / Side (2 points) |
| HIGH CAPACITY UNIT (OPTIONAL) | |
| Maximum Input Capacity | 3,000 sheets(80 gsm) |
| Paper Size | A4 (LEF) / Letter (LEF) |
| Supported Paper Thickness | 60 – 160 gsm |
| CONSUMABLES | |
| Black Ink | C13T04Q100 (up to 60,000 page yield, device holds two inks) |
| Maintenance Box | C13T671300 (up to 120,000 page yield, device holds two links) |
| Staples | C135210061 (3,000 pieces) |
| ENVIRONMENTAL CONDITIONS | |
| Temperature | 10~35°C, -20~40°C, -14~40°C |
| iomporaturo | 10~00 0, -20~40 0, -14~40 0 |
| Humidity | 15~85%, 5~85%RH |



1. Based on a comparison of 33 mono MFDs with print speeds greater than 50 ppm available in the Australian market as at 1 Sep 2019 2. While copying on standard device

EPSON AUSTRALIA Level 1, 3 Talavera Road Macquarie Park NSW 2113 Tel: (02) 8899 3666 www.epson.com.au ABN 91 002 625 783 EPSON NEW ZEALAND Level 2, 7-9 Fanshawe Street Auckland 1010 Tel: (09) 366 6855 www.epson.co.nz

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.