

PROJECTOR RANGE GUIDE









Ready for action in the office, at home or on the go.

Epson's range of business projectors offer vibrant, true-to-life colour for stunning presentations and exciting entertainment. Get instant setup with 3 in 1 USB Plug 'n Play and innovative image alignment features. With HDMI and wireless connectivity, you'll be ready for any situation.



MODEL:	EB-S31*	EB-X31/EB-X36*	EB-W32*	EB-U32
Resolution	SVGA	XGA	WXGA	WUXGA
Lumens Light Output (Colour/White)	3,300/3,300	3,300/3,300 (X31) 3,600/3,600 (X36)	3,300/3,300	3,200/3,200
USB Plug 'n Play	\checkmark	✓	✓	✓
PC Free Presentation	\checkmark	✓	✓	\checkmark
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Zoom	1.35x Digital	1.2x Optical	1.2x Optical	1.2x Optical
Wireless	Optional	Optional	1	✓
HDMI Connectivity	1	1	1	2
iProjection	Optional	Optional	✓	✓
Weight	2.4 kg	2.4 kg	2.4 kg	2.6 kg
Warranty (excluding lamps)	2 yrs	2 yrs	2 yrs	2 yrs
Replacement Lamp RRP (\$AU/\$NZ)	\$99 / \$119	\$99 / \$119	\$99 / \$119	\$99 / \$119

PORTABLE

Epson's range of ultra-bright, ultra-light weight projectors are the perfect companion for business people on the go. Weighing in at only 1.7kg, and boasting a broad range of user friendly functionality including automatic setup with vertical and horizontal keystone correction, it is small enough to fit in one bag along with your laptop or tablet.



Epson EB-1776W	
----------------	--

MODEL:	EB-1751	EB-1761W	EB-1771W*	EB-1776W
Resolution	XGA	WXGA	WXGA	WXGA
Lumens Light Output (Colour/White)	2,600/2,600	2,600/2,600	3,000/3,000	3,000/3,000
USB Plug 'n Play	1	\checkmark	✓	1
PC Free Presentation	1	\checkmark	✓	1
Keystone Correction	Vertical: ±45° Horizontal: ±30°	Vertical: ±45° Horizontal: ±30°	Vertical: ±45° Horizontal: ±30°	Vertical: ±45° Horizontal: ±30°
Auto Screen Fit and Focus	-	-	-	1
Wireless	-	\checkmark	Optional	1
Network	-	Monitor/Control/Presentation (via wireless)	Monitor/Control/Presentation (via wireless)	Monitor/Control/Presentation (via wireless)
HDMI Connectivity	1	1	1	1
Weight	1.7 kg	1.7 kg	1.7 kg	1.7 kg
iProjection	-	\checkmark	Optional	1
Warranty (excluding lamps)	3 yrs	3 yrs	3 yrs	3 yrs
Replacement Lamp RRP (\$AU/\$NZ)	\$99 / \$119	\$99 / \$119	\$99 / \$119	\$99 / \$119

MID-RANGE

Powerful and easy to use, this range of projectors offers low cost of ownership and ease of maintenance. Beautiful crisp, clear images make Epson's mid range projectors the ideal choice for use in a wide variety of

corporate and education environments.



Epson EB-1985WU

MODEL:	EB-945H/965H	EB-955WH	EB-935W	EB-1950
Resolution	XGA	WXGA	WXGA	XGA
Lumens Light Output (Colour/White)	3,000/3,000 (945H) 3,500/3,500 (965H)	3,200/3,200	3,700/3,700	4,500/4,500
USB Plug 'n Play	\checkmark	\checkmark	\checkmark	\checkmark
PC Free Presentation	✓	\checkmark	✓	\checkmark
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Zoom	1.6x Optical	1.6x Optical	1.6x Optical	1.6x Optical
Speaker	16W	16W	10W	10W
Wireless	Optional	Optional	Optional	-
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	2	2	1	1
iProjection	Optional	Optional	Optional	-

NETWORK CONNECTIVITY

Project presentations over the network,

transmitting both audio and video with a single connection. You can also connect wirelessly, via a network access point, to promote collaborative sharing and an engaging work environment. Easily monitor/control networked Epson projectors remotely, using the RJ-45 connector and EasyMP® Monitor software. You will save time and maintenance costs by powering projectors on and off without having to go to each individual room and by setting schedules for automatic events. You can also receive email alerts when attention is required.



MODEL:	EB-1945W	EB-1970W/1975W*	EB-1980WU	EB-1985WU
Resolution	WXGA	WXGA	WUXGA	WUXGA
Lumens Light Output (Colour/White)	4,200/4,200	5,000/5,000	4,400/4,400	4,800/4,800
USB Plug 'n Play	1	1	1	1
PC Free Presentation	1	1	1	1
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Screen Fit and Focus Help	1	✓	✓	1
Zoom	1.6x Optical	1.6x Optical	1.6x Optical	1.6x Optical
Speaker	10W	16W	16W	16W
Wireless	1	1	-	1
Miracast/WiDi	-	EB-1975W only	-	1
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	1	2	2	2
iProjection	1	1	-	1
Replacement Lamp RRP (\$AU/\$NZ)	\$203 / \$245	\$203 / \$245	\$203 / \$245	\$203 / \$245

SHORT THROW AND ULTRA SHORT THROW

With an Epson short throw or ultra short throw projector, presenters are able to deliver rich multimedia content without the distraction of glare in their eyes, or shadows on the board disrupting the vision of their audience. Make the most of your available space with Epson's range of innovative projectors.

MODEL:	EB-520	EB-525W*	EB-535W
Resolution	XGA	WXGA	WXGA
Lumens Light Output (Colour/White)	2,700/2,700	2,800/2,800	3,400/3,400
Projection Type	Short Throw	Short Throw	Short Throw
Throw Ratio	0.55 (Zoom: Wide), 0.74 (Zoom: Tele)	0.48 (Zoom: Wide), 0.65 (Zoom: Tele)	0.48 (Zoom: Wide), 0.65 (Zoom: Tele)
Integrated Mount Included	-	-	-
USB Plug 'n Play	1	\checkmark	<i>s</i>
Keystone Correction	Vertical: ±15° Horizontal: ±15°	Vertical: ±15° Horizontal: ±15°	Vertical: ±15° Horizontal: ±15°
Zoom	1.35x Digital	1.35x Digital	1.35x Digital
Speaker	16W	16W	16W
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	1	1	1
iProjection	Optional	Optional	Optional
Replacement Lamp RRP (\$AU/\$NZ)	\$99 / \$119	\$99 / \$119	\$99 / \$119

EPSON

MODEL:	EB-575W	EB-580	EB-585W/e*
Resolution	WXGA	XGA	WXGA
Lumens Light Output (Colour/White)	2,700/2,700	3,200/3,200	3,300/3,300
Projection Type	Ultra Short Throw	Ultra Short Throw	Ultra Short Throw
Throw Ratio	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	0.31 (Zoom: Wide), 0.42 (Zoom: Tele)	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)
Integrated Mount Included	1	\checkmark	\checkmark
USB Plug 'n Play	1	\checkmark	\checkmark
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°
Zoom	1.35x Digital	1.35x Digital	1.35x Digital
Speaker	16W	16W	16W
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	2	2	2
iProjection	Optional	Optional	Optional
Available in Education Model	\checkmark	-	\checkmark
Replacement Lamp RRP (\$AU/\$NZ)	\$79 / \$95	\$79 / \$95	\$79 / \$95

EDUCATION

As the best-selling projector manufacturer in the world, Epson has a solution for every education scenario.

Built with image quality and reliability in mind, Epson's interactive projectors enhance communication, inspire collaboration and offer a low total cost of ownership.

	Epson EB-595Wi			
MODEL:	EB-575Wi/e*	EB-585Wi	EB-595Wi	
Resolution	WXGA	WXGA	WXGA	
Lumens Light Output (Colour/White)	2,700/2,700	3,300/3,300	3,300/3,300	
Projection Type	Ultra Short Throw	Ultra Short Throw	Ultra Short Throw	
Throw Ratio	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	
Interactivity	Pen Only	Pen Only	Finger and Pen Interactivity	
Integrated Mount Included	\checkmark	\checkmark	\checkmark	
PC Free Annotation	1	\checkmark	\checkmark	
Simultaneous Multi User	1	\checkmark	\checkmark	
PC Free Presentation	1	\checkmark	\checkmark	
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°	
Zoom	1.35x Digital	1.35x Digital	1.35x Digital	
Speaker	16W	16W	16W	
Wireless	Optional	Optional	Optional	
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	
HDMI Connectivity	2	2	2	
SMART [®] Notebook [™] Software	1	\checkmark	\checkmark	
iProjection	Optional	Optional	Optional	
Warranty (excluding lamps)	3yrs/5yrs	3yrs	3 yrs	
Replacement Lamp RRP (\$AU/\$NZ)	\$79 / \$95	\$79 / \$95	\$79 / \$95	

EDUCATION MODELS

The Epson range of ultra short throw projectors are available in an education specific configuration; denoted by an "e" on the end of the name. Visit www.epson.com.au for more information.

Finger touch interactivity - no pens required!

With the finger touch interactive model (EB-595Wi), multiple users can annotate on the interactive area using a combination of 2 pens and up to 6 fingers at the same time! Perfect for classroom collaboration.

Start lessons instantly with instant annotation!

Why wait for a PC to start up before you start your lesson? Interactive functionality is also available without a PC connection, so drawing on the projected screen is now possible when connected to other devices such as document cameras or DVD players.



Meeting Mate

collaborate. create. share.


BUSINESS INTERACTIVE

MeetingMate[™] interactive projectors provide the complete solution for any meeting room.

A perfect alternative to copyboards and other presentation equipment, MeetingMate[™] combines multiple devices into one simple device that enhances collaboration through interactive functionality, idea creation and content sharing — all without a PC!

MODEL:	EB-1420Wi	EB-1430Wi
Resolution	WXGA	WXGA
Lumens Light Output (Colour/White)	3,300/3,300	3,300/3,300
Projection Type	Ultra Short Throw	Ultra Short Throw
Throw Ratio	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)
Interactivity	Pen Only	Finger and Pen Interactivity
PC Free Whiteboard function	\checkmark	\checkmark
Save, Print, Email from Whiteboard	\checkmark	\checkmark
Control Pad	\checkmark	\checkmark
Split screen	\checkmark	\checkmark
Simultaneous Multi-User	\checkmark	\checkmark
PC Free Annotation/Presentation	\checkmark	\checkmark
Wireless Interactive & Projection	\checkmark	\checkmark
Multi-location Remote Interactive	Up to 4 locations	Up to 4 locations
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°
Zoom	1.35x Digital	1.35x Digital
Speaker	16W	16W
Wireless	\checkmark	\checkmark
Network	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	2	2
iProjection	\checkmark	\checkmark
Warranty (excluding lamps)	3 yrs	3 yrs
Replacement Lamp RRP (\$AU/\$NZ)	\$79 / \$95	\$79 / \$95

EPSON



PC Free Whiteboard

With the whiteboard function, you can start a meeting "instantly" without the need for a PC! Simply walk into the meeting room and switch to whiteboard mode and start writing notes or annotating images. The control pad facilitates these functions with simple and intuitive command buttons. What's more, the function buttons on the control pad are replicated on the remote control, so it's never been easier to get going.

Whiteboard Sharing Mode

The whiteboard sharing function allows collaboration from multiple devices participating from different locations*. Content can be shared and annotated simultaneously by participants collaborating from mobile devices, computers and other MeetingMates. Connect up to 15 devices directly to the MeetingMate with no PC required!





Save, Print, Email or Share At the end of your meeting, you can SAVE, PRINT or EMAIL your meeting

notes instantly, it's that easy!

SAVE your meeting notes on a USB drive or the network drive. Never lose any of your meeting notes again!

PRINT your meeting notes wirelessly or to the network printer, so all team members can walk away with the action points.

EMAIL the meeting notes from the whiteboard to your email address.

LARGE VENUE

Powerful performers that are easy to install,

manage and maintain. Epson's range of installation projectors offers up to 12,000 lumens of colour/white light output for captivating presentations in virtually any venue. Featuring WUXGA resolution and innovative 3LCD technology, these projectors deliver brilliant images in lecture halls, conference centres and entertainment venues.

MODEL:	EB-4750W*	EB-4770W	EB-4950WU/EB-4955WU
Light Source	Lamp	Lamp	Lamp
Resolution	WXGA	WXGA	WUXGA
Lumens Light Output (Colour/White)	4,200/4,200	5,000/5,000	4,500/4,500
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Lens Shift	Vertical: ±70% Horizontal: ±38%	Vertical: ±50% Horizontal: ±10%	Vertical: ±50% Horizontal: ±10%
Zoom	2x Optical	1.8x Optical	1.8x Optical
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	1	1	1
Edge Blending	-	-	-
Crestron RoomView/AMX Device Discovery	✓	\checkmark	\checkmark
HDBaseT	-	-	-
Passive 3D	Optional	Optional	Optional
Lens Options	-	-	-
iProjection	Optional	Optional	Optional
Warranty (excluding lamps)	3 yrs	3 yrs	3 yrs

LASER

MODEL:	EB-G7800NL	EB-G7000WNL	EB-G7200WNL
Light Source	Lamp	Lamp	Lamp
Resolution	XGA	WXGA	WXGA
Lumens Light Output (Colour/Light)	8,000/8,000	6,500/6,500	7,500/7,500
Lens Shift (Powered)	Vertical: ±57% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%	Vertical: $\pm 67\%$ Horizontal: $\pm 30\%$
Operating Hours ¹	24/7	24/7	24/7
Operating Angle	360°	360°	360°
Projection Multi PC	✓	✓	✓
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT
Frame Interpolation	✓	✓	✓
Edge Blending	\checkmark	\checkmark	1
Crestron RoomView/AMX Device Discovery	1	✓	1
HDBaseT	1	\checkmark	1
4K Enhancement	-	-	-
Lens Options	10	10	10
Warranty ¹ (excluding lamps)	3 yrs	3 yrs	3 yrs

1 WARRANTED FOR 15,000 HOURS IN 24/7 USE

LARGE VENUE

MODEL:	EB-G7400UNL	EB-G7500UNL	EB-G7905UNL
Light Source	Lamp	Lamp	Lamp
Resolution	WUXGA	WUXGA	WUXGA
Lumens Light Output (Colour/Light)	5,500/5,500	6,500/6,500	7,000/7,000
Lens Shift (Powered)	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%
Zoom (LM08 Lens)	1.6x Optical	1.6x Optical	1.6x Optical
Lens Memory	10 Positions	10 Positions	10 Positions
Operating Hours ¹	24/7	24/7	24/7
Operating Angle	360°	360°	360°
Projection Multi PC	1	\checkmark	\checkmark
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT
Frame Interpolation	1	1	✓
Edge Blending	1	\checkmark	1
Crestron RoomView/AMX Device Discovery	1	\checkmark	1
HDBaseT	✓	\checkmark	1
4K Enhancement	1	✓	1
Lens Options	10	10	10
Warranty ¹ (excluding lamps)	3 yrs	3 yrs	3 yrs

WARRANTED FOR 15,000 HOURS IN 24/7 USE

G AND L SERIES LENSES (16:10 ASPECT RATIO)

	V12H004X01	V12H004U03	V12H004U04	V12H004M08	V12H004M09	V12H004M0A	V12H004M0B	V12H004W05	V12H004W06	V12H004L08
	Ultra Short Throw Lens	Short Throw Lens #1	Short Throw Lens #2	Middle Throw Lens #1	Middle Throw Lens #2	Middle Throw Lens #3	Middle Throw Lens #4	Wide Throw Lens #1	Wide Throw Lens #2	Long Throw Lens
Zoom Ratio	N/A	1.2x Optical	1.2x Optical	1.6x Optical	1.6x Optical	1.5x Optical	1.5x Optical	1.4x Optical	1.4x Optical	1.4x Optical
Throw Ratio (excluding EB-L1505UNL)	0.35	0.65 - 0.78	1.87 - 1.06	1.44 - 2.32	2.16 - 3.48	3.32 - 5.06	4.85 - 7.38	1.04 - 1.46	1.62 - 2.22	7.21 - 10.11
Throw Ratio (EB-L1505UNL)	N/A	0.48 - 0.57	0.64 - 0.77	N/A	1.57 - 2.56	2.42 - 3.71	3.54 - 5.41	0.77 - 1.07	1.19 - 1.62	5.27 - 7.41
MODEL:			EB-L1100	UNL	EB-L120	OUNL	EB-L130	OUNL	EB-L15	05UNL
Light Source			Laser		Laser		Lase	r	Las	er
Resolution			WUXGA		WUXGA		WUXGA		WUXGA	
Lumens Light (Output (Colour/L	ight)	6,000/6,000		7,000/7,000		8,000/8,000		12,000/12,000	
Lens Shift (Powered)				Vertical: ±67% Horizontal: ±30%		Vertical: ±67% Vertica Horizontal: ±30% Horizon			Vertical: Horizonta	
Zoom			1.6x Optical (LM08)		1.6x Optical (LM08)		1.6x Optical (LM09)		1.6x Optical (LM08)	
Lens Memory			10 Positions		10 Positions		10 Positions		10 Positions	
Operating Hours ²			24/7		24/7		24/7	7	24,	7
Operating Angle			360°		360°		360	þ	360)°
Projection Multi PC			\checkmark		1		1		1	•
Wireless			Optiona	I	Optional		Optional		Optional	
Network			Monitor/Control/Pr	esentation	Monitor/Control/Presentation		Monitor/Control/Presentation		Monitor/Control/Presentation	
Digital Connectivity			HDMI/DVI-D/H	DBaseT	HDMI/DVI-D/HDBaseT		HDMI/DVI-D/HDBaseT		HDMI/DVI-D/HDBaseT/SDI	
Frame Interpolation			\checkmark		\checkmark		\checkmark		1	
Edge Blending			1		\checkmark		1		1	•
Crestron RoomView / AMX Device Discovery		Discovery	1		✓		1		1	
HDBaseT	HDBaseT		1		1	/ /			1	
4K Enhancement			1		1		1		1	•
Lens Options			10		10		10		8	
Warranty			5 yrs		5 yrs		5 yrs	3	5 y	rs

²WARRANTED FOR 20,000 HOURS IN 24/7 USE

LARGE VENUE

MODEL:	EB-Z11000NL/EB-Z11005NL	EB-Z9900WNL	EB-Z11000WNL	
Light Source	Lamp	Lamp	Lamp	
Resolution	XGA	WXGA	WXGA	
Lumens Light Output (Colour/Light)	11,000/11,000	9,200/9,200	11,000/11,000	
Lens Shift (Powered)	Vertical: ±56% Horizontal: ±19%	Vertical: ±60% Horizontal: ±18%	Vertical: ±56% Horizontal: ±19%	
Operating Hours ²	24/7	24/7	24/7	
Operating Angle	360°	360°	360°	
Projection Multi PC	1	\checkmark	\checkmark	
Zoom (LS04 Lens)	1.6x Optical	1.6x Optical	1.6x Optical	
Wireless	Optional	Optional	Optional	
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	
HDMI Connectivity	1	1	1	
SDI Connectivity	✓	\checkmark	1	
Frame Interpolation	✓	\checkmark	-	
Edge Blending	✓	\checkmark	1	
Crestron RoomView/AMX Device Discovery	✓	\checkmark	✓	
HDBaseT	1	\checkmark	1	
Lens Options	7	7	7	
iProjection (via optional wireless)	1	\checkmark	✓	
Warranty ² (excluding lamps)	4 yrs	4 yrs	4 yrs	

Z SERIES LENSES

	V12H004R04	V12H004U02	V12H004S04	V12H004W04	V12H004M06	V12H004M07	V12H004L07	
	Rear Throw Lens	Short Throw Lens	Standard Zoom Lens	Wide Throw Lens	Middle Throw Lens #1	Middle Throw Lens #2	Long Throw Lens	
Zoom Ratio	-	1.2x Optical	1.6x Optical	1.4x Optical	1.5x Optical	1.5x Optical	1.4x Optical	5
Throw Ratio (4:3)	0.97	0.89 - 1.08	2.2 - 3.56	1.66 - 2.27	3.39 - 5.17	4.95 - 7.54	7.36 - 10.33	
Throw Ratio (16:10)	0.95	0.87 - 1.05	2.16 - 3.48	1.62 - 2.22	3.32 - 5.06	4.85 - 7.38	7.21 - 10.11	



MODEL:	EB-Z9750UNL	EB-Z9870UNL	EB-Z10000UNL/EB-Z10005UNL	
Light Source	Lamp	Lamp	Lamp	
Resolution	WUXGA	WUXGA	WUXGA	
Lumens Light Output (Colour/Light)	7,500/7,500	8,700/8,700	10,000/10,000	
Lens Shift (Powered)	Vertical: ±60% Horizontal: ±18%	Vertical: ±60% Horizontal: ±18%	Vertical: ±60% Horizontal: ±18%	
Operating Hours ²	24/7	24/7	24/7	
Operating Angle	360°	360°	360°	
Projection Multi PC	\checkmark	-	1	
Zoom (LSO4 Lens)	1.6x Optical	1.6x Optical	1.6x Optical	
Wireless	Optional	Optional	Optional	
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	
HDMI Connectivity	1	1	1	
SDI Connectivity	-	1	✓	
Frame Interpolation	✓	1	1	
Edge Blending	\checkmark	1	1	
Crestron RoomView/AMX Device Discovery	\checkmark	1	1	
HDBaseT	\checkmark	1	1	
Lens Options	7	7	7	
iProjection (via optional wireless)	\checkmark	1	\checkmark	
Warranty ² (excluding lamps)	4 yrs	4 yrs	4 yrs	

² WARRANTED FOR 20,000 HOURS IN 24/7 USE.

HOME THEATRE

Experience rich cinematic adventures at home with Epson home cinema projectors. Whether you enjoy movies, games, or sporting events, every image is sure to pop off the screen with state-of-the-art, innovative projector features.



Epson EH-LS10000

MODEL:	EH-TW5300	EH-TW6700*	EH-TW6700W	EH-TW6800
Resolution	1080p	1080p	1080p	1080p
Lumens Light Output (Colour/Light)	2,200/2,200	3,000/3,000	3,000/3,000	2,700/2,700
Contrast Ratio	35,000:1	70,000:1	70,000:1	120,000:1
3D Capable	✓	1	1	\checkmark
3D Glasses	Optional	Includes 1 Pair	Includes 1 Pair	Includes 1 Pair
Keystone Correction	Vertical ±30° Horizontal ±30°	Vertical ±30° Horizontal ±30°	Vertical ±30° Horizontal ±30°	Vertical ±30° Horizontal ±30°
Lens Shift	-	Vertical ±60% Horizontal ±24%	Vertical ±60% Horizontal ±24%	Vertical ±60% Horizontal ±24%
Picture in Picture	-	1	1	✓
Built in Speakers	5W	2 x 10W	2 x 10W	-
HDMI Connectivity	2	2	2	2
WirelessHD	-	-	1	-

WIRELESS HD

giving you high quality images

every time.

Eliminate cable clutter and simplify

content directly to your Epson projector,

installations! WirelessHD enables the transfer of HDMI

digital signals without compression or deterioration.

You can now wirelessly stream Full HD and 3D

EPSON 3D



Enjoy thrilling 3D adventures right in the comfort of your living room.


Featuring Epson's Bright 3D Drive technology, these home theatre projectors put you right in the middle of the action. Epson's drive system minimises the blackout time of 3D glasses and provides greater brightness when viewing 3D content.

MODEL:	EH-TW8300	EH-TW9300	EH-TW9300W*	EH-LS10000
Resolution	1080P (4K Enhancement)	1080P (4K Enhancement)	1080P (4K Enhancement)	1080P (4K Enhancement)
Light Source	Lamp	Lamp	Lamp	Laser
Lumens Light Output (Colour/Light)	2,500/2,500	2,500/2,500	2,500/2,500	1,500/1,500
Contrast Ratio	1,000,000:1	1,000,000:1	1,000,000:1	Absolute Black Full White 1,500lm/Full Black 0lm
3D Capable	✓	\checkmark	1	✓
Keystone Correction	Vertical ±30°	Vertical ±30°	Vertical ±30°	Vertical ±30°
Lens Shift	Vertical ±96.3% Horizontal ±47.1%	Vertical ±96.3% Horizontal ±47.1%	Vertical ±96.3% Horizontal ±47.1%	Vertical ±90% Horizontal ±40%
Lens Memory	10 Positions	10 Positions	10 Positions	10 Positions
Picture in Picture	✓	\checkmark	1	✓
HDMI Connectivity	2	2	2	2
ISF Certification	-	\checkmark	1	✓
WirelessHD	-	-	1	-
Warranty (excluding lamps)	2 yrs ⁺	3 yrs (inc lamp)	3 yrs (inc lamp)	3 yrs

* NOT AVAILABLE IN NEW ZEALAND

† WARRANTY DIFFERS IN NEW ZEALAND

OPTIONS AND ACCESSORIES



Air Filters Regularly replace the air filter in your Epson projector in order to maintain image quality and to ensure longevity.



HDBase-T Eliminate the need to run expensive cables and signal repeater hardware by using the Epson HDBaseT transmitter.



Table Mount

Epson ultra short throw table mount has been specifically designed to project on table surfaces, providing extra flexibility and creative solutions.



Wireless LAN Adapter

A simple yet powerful solution to enabling wireless connectivity to your Epson projector (optional models only).



Lamps Order genuine Epson lamps to ensure that you achieve the best possible image quality and colour reproduction.



Installation Frame The Epson ELPMB44 installation frame is designed for portrait projection and stacking (Z-series only).



Interactive Pens Annotate just as you would with a pen, and interact just as you would with a mouse. An essential accessory to your interactive projector.



Quick Wireless Key A quick and simple solution to connecting your PC to the Epson projector with zero configuration.



Speakers Enhance the audio experience with the Epson ELP-SP02 powered speaker set.



Ceiling Mounts Ceiling mounts to suit all models of Epson projectors.



Portable Screen Epson portable, light weight 80 inch screen is the perfect display solution for your home or office.



Soft Carry Case Ideal solution for storing and transporting Epson mid-range projectors.



Control Pad A simple cable management solution from Epson. Ideal for classrooms and meeting spaces.



Wall Mounts

Epson wall mounts, designed specifically for use with Epson ultra-short throw projectors, provide flexibility and numerous adjustment options for ease of installation.



Document Cameras Capture and share a much wider range of information with Epson document cameras.



3D Glasses EPSON 3D glasses to suit compatible 3D projectors.

COLOUR LIGHT OUTPUT

KNOW YOUR PROJECTOR LUMENS

WHAT IS COLOUR BRIGHTNESS?

Many people are in the dark about colour brightness. Of the numerous specifications to consider when purchasing a projector, this measure of colour light output is among the most important.

COLOUR BRIGHTNESS



HIGH COLOUR

Low Colour Brightness can result in images that are 1/3 as bright!

COLOUR BRIGHTNESS COUNTS

LOW COLOUR

Colour is the keystone of any memorable presentation, increasing memory significantly over monochromatic visuals

86% of presentations contain colour

3LCD TECHNOLOGY

Not All Projectors Are Created Equal. Using 3LCD Technology means that you don't have to sacrifice the vibrancy of rich multimedia by projecting a single colour at a time.

HERE'S HOW IT WORKS:

- A light source projects white light onto a combination of mirrors that split the light into three primary colours: red, green and blue
- Each primary colour passes through a dedicated LCD panel
- The three colour images are combined using a prism to form a full-colour image consisting of millions of colours

EPSON AUSTRALIA

Tel: (02) 8899 3666

www.epson.com.au

North Ryde NSW 2113

3 Talavera Road

The vibrant, full-colour image passes through a lens and is projected onto a screen

Epson is the registered trademark of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice.

Level 2, 7-9 Fanshawe Street

EPSON NEW ZEALAND

Auckland, 1010

www.epson.co.nz

Tel: (09) 366 6855

EXCEED YOUR VISION



03/16

ABN 91 002 625 783




Colours at peak brightness and saturation attract the most attention

97% of consumers agree that brightness is a key component of image quality







Epson CoverPlus

Fast. Reliable. Professional.