

PROJECTOR RANGE GUIDE

August 2019



ENTRY

Ready for action in the office, at home or on the go.

Epson's range of business projectors offer vibrant, true-to-life colour for stunning presentations and exciting entertainment. Get instant setup with 3-in-1 USB Plug 'n Play and innovative image alignment features. With HDMI and wireless connectivity, you'll be ready for any situation.



Epson EB-U42

MODEL:	EB-S41*	EB-X41*	EB-W42*	EB-U42
Resolution	SVGA	XGA	WXGA	WUXGA
Lumens Light Output (Colour/White)	3,300/3,300	3,600/3,600	3,600/3,600	3,600/3,600
USB Plug 'n Play	✓	✓	✓	✓
PC Free Presentation	\checkmark	✓	✓	✓
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Zoom	1.35x Digital	1.2x Optical	1.2x Optical	1.2x Optical
Wireless	Optional	Optional	✓	✓
HDMI Connectivity	1	1	1 (1 x MHL)	2 (1 x MHL)
iProjection	Optional	Optional	✓	✓
Miracast	-	-	-	✓
Weight	2.5 kg	2.5 kg	2.5 kg	2.8 kg
Warranty (excluding lamps) ¹	2 yrs	2 yrs	2 yrs	2 yrs
Replacement Lamp RRP (\$AU/\$NZ)	\$64 / \$77	\$64 / \$77	\$64 / \$77	\$64 / \$77

PORTABLE

Epson's extra thin and lightweight portable projectors are the perfect companion for business people on the go.

Weighing in at only 1.8kg, and boasting a broad new range of user friendly functionality including NFC, automatic setup with vertical and horizontal keystone correction, and screen mirroring, it is small enough to fit in one bag along with your notebook PC.



Enson FR-1795F

MODEL:	EB-1780W	EB-1781W*	EB-1785W	EB-1795F
Resolution	WXGA	WXGA	WXGA	1080p
Lumens Light Output (Colour/White)	3,000/3,000	3,200/3,200	3,200/3,200	3,200/3,200
USB Plug 'n Play	✓	\checkmark	✓	✓
PC Free Presentation	\checkmark	\checkmark	\checkmark	\checkmark
Auto Keystone Correction	Vertical: ±45°	Vertical: ±45° Horizontal: ±30°	Vertical: ±45° Horizontal: ±30°	Vertical: ±45° Horizontal: ±30°
Auto Screen Fit and Focus	-	\checkmark	\checkmark	\checkmark
Wireless	✓	✓	✓	✓
Network	Monitor/Control/Presentation (via wireless)	Monitor/Control/Presentation (via wireless)	Monitor/Control/Presentation (via wireless)	Monitor/Control/Presentation (via wireless)
HDMI Connectivity	1	1	1	1
Gesture Presenter	-	\checkmark	\checkmark	✓
Near Field Communication (NFC)	-	\checkmark	✓	✓
Miracast	-	-	✓	✓
Weight	1.8 kg	1.8 kg	1.8 kg	1.8 kg
iProjection	\checkmark	\checkmark	\checkmark	\checkmark
Warranty (excluding lamps) ¹	3 yrs	3 yrs	3 yrs	3 yrs

^{*} NOT AVAILABLE IN NEW ZEALAND

¹ FOR WARRANTY CONDITIONS PLEASE VISIT EPSON.COM.AU/WARRANTY/PROJECTOR

MID-RANGE

Powerful and easy to use, this range of projectors offers low cost of ownership and ease of maintenance.

Beautiful crisp, clear images make Epson's mid range projectors the ideal choice for use in a wide variety of corporate and education environments.



EPSON

Epson EB-2265U

MODEL:	EB-970	EB-980W EB-990U		EB-2247U
Resolution	XGA	WXGA	WUXGA	WUXGA
Lumens Light Output (Colour/White)	4,000/4,000	3,800/3,800	3,800/3,800	4,200/4,200
USB Plug 'n Play	✓	✓	✓	✓
PC Free Presentation	✓	✓	✓	\checkmark
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Zoom	1.6x Optical	1.6x Optical	1.6x Optical	1.6x Optical
Speaker	16 W	16 W	16 W	16 W
Wireless	Optional	Optional	Optional	\checkmark
HDMI Connectivity	2	2	2	2
Miracast	-	-	-	\checkmark
iProjection	Optional	Optional	Optional	✓
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Replacement Lamp RRP (\$AU/\$NZ)	\$64/\$77	\$64/\$77	\$64/\$77	\$64/\$77

iPROJECTION Wirelessly Project from your Chromebook, iOS, or Android™ mobile device with the Epson iProjection App.

This application allows you to travel lightly and present anywhere from your devices. The Epson iProjection app will enable you to have the wireless freedom you've come to expect from your mobile device. The app is easy to use and navigate with intuitive menu options that help bring Chromebook, iOS, and Android™ content to the big screen. iProjection for Chromebooks supports fully mirrored display of all your Chromebook content including Google Docs, Slides, Sheets, and Chrome browser. When used in conjunction with Moderator function the iProjection App gives teachers the ability to display up to four Chromebook™ computers simultaneously.

MODEL:	EB-2055	EB-2155W	EB-2250U	EB-2265U
Resolution	XGA	WXGA	WUXGA	WUXGA
Lumens Light Output (Colour/White)	5,000/5,000	5,000/5,000	5,000/5,000	5,500/5,500
USB Plug 'n Play	✓	✓	✓	✓
PC Free Presentation	✓	✓	✓	✓
Keystone Correction	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°	Vertical: ±30° Horizontal: ±30°
Screen Fit and Focus Help	\checkmark	✓	✓	\checkmark
Zoom	1.6x Optical	1.6x Optical	1.6x Optical	1.6x Optical
Speaker	16 W	16 W	16 W	16 W
Wireless	✓	✓	Optional	\checkmark
Miracast	-	-	-	✓
HDBT Connectivity	-	-	-	✓
Gesture Presenter	✓	✓	✓	✓
HDMI Connectivity	2	2	2	2
iProjection	✓	✓	Optional	✓
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Replacement Lamp RRP (\$AU/\$NZ)	\$135/\$165	\$135/\$165	\$135/\$165	\$135/\$165

SHORT THROW AND ULTRA SHORT THROW

With an Epson short throw or ultra short throw projector, presenters are able to deliver rich multimedia content without the distraction of glare in their eyes, or shadows on the board disrupting the vision of their audience.

Make the most of your available space with Epson's range of innovative projectors.



MODEL:	EB-520	EB-525W*	EB-535W
Resolution	XGA	WXGA	WXGA
Lumens Light Output (Colour/White)	2,700/2,700	2,800/2,800	3,400/3,400
Projection Type	Short Throw	Short Throw	Short Throw
Throw Ratio	0.55 (Zoom: Wide), 0.74 (Zoom: Tele)	0.48 (Zoom: Wide), 0.65 (Zoom: Tele)	0.48 (Zoom: Wide), 0.65 (Zoom: Tele)
Mount	Optional (ELPMB45)	Optional (ELPMB45)	Optional (ELPMB45)
USB Plug 'n Play	✓	\checkmark	\checkmark
Keystone Correction	Vertical: ±15° Horizontal: ±15°	Vertical: ±15° Horizontal: ±15°	Vertical: ±15° Horizontal: ±15°
Zoom	1.35x Digital	1.35x Digital	1.35x Digital
Speaker	16 W	16 W	16 W
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	1	1	1
iProjection	Optional	Optional	Optional
Replacement Lamp RRP (\$AU/\$NZ)	\$99/\$119	\$99/\$119	\$99/\$119

MODEL:	EB-675W*	EB-680	EB-685W
Light Source	Lamp	Lamp	Lamp
Resolution	WXGA	XGA	WXGA
Lumens Light Output (Colour/White)	3,200/3,200	3,500/3,500	3,500/3,500
Projection Type	Ultra Short Throw	Ultra Short Throw	Ultra Short Throw
Throw Ratio	0.28 (Zoom: Wide), 0.37 (Zoom: Tele)	0.32 (Zoom: Wide), 0.43 (Zoom: Tele)	0.28 (Zoom: Wide), 0.37 (Zoom: Tele)
Mount	Optional (ELPMB53)	Optional (ELPMB53)	Optional (ELPMB53)
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°
Zoom	1.35x Digital	1.35x Digital	1.35x Digital
Speaker	16 W	16 W	16 W
Wireless	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	3	3	3
iProjection	Optional	Optional	Optional
Replacement Lamp RRP (\$AU/\$NZ)	\$83/\$99	\$83/\$99	\$83/\$99

EDUCATION INTERACTIVE

As the best-selling projector manufacturer in the world, Epson has a solution for every education scenario.

Built with image quality and reliability in mind, Epson's interactive projectors enhance communication, inspire collaboration and offer a low total cost of ownership.



MODEL:	EB-675Wi*	EB-685Wi	EB-695Wi
Light Source	Lamp	Lamp	Lamp
Resolution	WXGA	WXGA	WXGA
Lumens Light Output (Colour/White)	3,200/3,200	3,500/3,500	3,500/3,500
Projection Type	Ultra Short Throw	Ultra Short Throw	Ultra Short Throw
Throw Ratio	0.28 (Zoom: Wide), 0.37 (Zoom: Tele)	0.28 (Zoom: Wide), 0.37 (Zoom: Tele)	0.28 (Zoom: Wide), 0.37 (Zoom: Tele)
Interactivity	Pen Only	Pen Only	Finger and Pen
Mount	Optional (ELPMB53)	Optional (ELPMB53)	Optional (ELPMB53)
PC Free Annotation	\checkmark	\checkmark	✓
Simultaneous Multi User	\checkmark	\checkmark	✓
Seamless Interactive	\checkmark	\checkmark	✓
Split Screen	✓	\checkmark	✓
SMART Notebook software	✓	✓	✓
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°
Zoom	1.35x Digital	1.35x Digital	1.35x Digital
Speaker	16 W	16 W	16 W
Wireless	Optional (ELPAP10)	Optional (ELPAP10)	Optional (ELPAP10)
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	3	3	3
iProjection	Optional	Optional	Optional
Replacement Lamp RRP (\$AU/\$NZ)	\$83/\$99	\$83/\$99	\$83/\$99

DOCUMENT CAMERA CONTROL

Connect the Epson ELP-DC21 document camera to an interactive EB-600 Series projector to easily capture and displays books, 3D objects and experiments. You can also add annotations directly to a projected live image without the need of a PC. To simplify the process you can operate the document camera from the toolbar on the projection screen.



BUSINESS INTERACTIVE

MeetingMate[™] interactive projectors provide the complete solution for any meeting room.


A perfect alternative to copyboards and other presentation equipment, MeetingMate $^{\text{TM}}$ combines multiple devices into one simple device that enhances collaboration through interactive functionality, idea creation and content sharing — all without a PC!



MODEL:	EB-1480Fi	EB-1485Fi
Light Source	Laser	Laser
Resolution	FHD*	FHD*
Lumens Light Output (Colour/White)	5,000/5,000	5,000/5,000
Projection Type	Ultra Short Throw	Ultra Short Throw
Throw Ratio	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)	0.27 (Zoom: Wide), 0.37 (Zoom: Tele)
Interactivity	Finger and Pen	Finger and Pen
Mount	Optional (ELPMB53 or ELPMB63)	Included (ELPMB63)
16:6 Wide Screen	-	✓
PC Free Whiteboard function	✓	✓
Save, Print, Email	✓	✓
Control Pad	✓	✓
Split screen	✓	✓
Wireless Interactive and Projection	✓	✓
Miracast	✓	✓
Remote Desktop	✓	✓
Multi-location Remote Interactive	Up to Four Locations	Up to Four Locations
Keystone Correction	Vertical: ±3° Horizontal: ±3°	Vertical: ±3° Horizontal: ±3°
Zoom	1.35x Digital	1.35x Digital
Speaker	16W	16W
HDBaseT	-	✓
Network	Monitor/Control/Presentation	Monitor/Control/Presentation
HDMI Connectivity	3	3

^{*} PIXEL SHIFTING TECHNOLOGY ACHIEVES FULL HD RESOLUTION ON SCREEN





Display sizes are measured diagonally, from corner to corner. As a result, a 100" Display is actually 4 times larger than a 50"Display.*

WWW.EPSON.COM.AU/GOBIGWITHEPSON

LARGE VENUE

Powerful performers that are easy to install, manage and maintain. Epson's range of installation projectors offers up to 25,000 lumens of colour/white light output for captivating presentations in virtually any venue. Featuring WUXGA resolution and innovative 3LCD technology, these projectors deliver brilliant images in lecture halls, conference centres and entertainment venues.



MODEL (G-SERIES):	EB-G7800NL	EB-G7200WNL
Light Source	Lamp	Lamp
Resolution	XGA	WXGA
Lumens Light Output (Colour/White)	8,000/8,000	7,500/7,500
Lens Shift (Powered)	Vertical: ±57% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%
Zoom (LM08 Lens)	1.6x Optical	1.6x Optical
Lens Memory	10 Positions	10 Positions
Operating Angle	360°	360°
Wireless	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT
Frame Interpolation	✓	✓
Edge Blending	✓	✓
Crestron RoomView/AMX Device Discovery	✓	\checkmark
HDBaseT	✓	✓
Lens Options	10	10
Warranty (excluding lamps) ¹	3 yrs	3 yrs

MODEL (G-SERIES):	EB-G7400UNL	EB-G7500UNL	EB-G7905UNL
Light Source	Lamp	Lamp	Lamp
Resolution	WUXGA	WUXGA	WUXGA
Lumens Light Output (Colour/Light)	5,500/5,500	6,500/6,500	7,000/7,000
Lens Shift (Powered)	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%
Zoom (LM08 Lens)	1.6x Optical	1.6x Optical	1.6x Optical
Lens Memory	10 Positions	10 Positions	10 Positions
Operating Angle	360⁰	360°	360°
Wireless	Optional	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT
Frame Interpolation	\checkmark	\checkmark	\checkmark
Edge Blending	✓	\checkmark	✓
Crestron RoomView/AMX Device Discovery	✓	\checkmark	\checkmark
HDBaseT	✓	\checkmark	✓
4K Enhancement	✓	\checkmark	✓
Lens Options	10	10	10
Warranty (excluding lamps) ¹	3 yrs	3 yrs	3 yrs

LARGE VENUE

MODEL (L-SERIES):	EB-L510U	EB-L610W	EB-L610U	EB-L615U	
Light Source	Laser	Laser	Laser	Laser	
Model Colour	White	White	White	Black	
Resolution	WUXGA	WXGA	WUXGA	WUXGA	
Lumens Light Output (Colour/White)	5,000/5,000	6,000/6,000	6,000/6,000	6,000/6,000	
Lens Shift (Manual)	Vertical: ±50% Horizontal: ±20%	Vertical: ±50% Horizontal: ±20%	Vertical: ±50% Horizontal: ±20%	Vertical: ±50% Horizontal: ±20%	
Operating Angle	360°	360°	360°	360°	
Zoom	1.6x Optical	1.6x Optical	1.6x Optical	1.6x Optical	
Wireless	Optional	Optional	✓	✓	
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	
Speaker	10 W	10 W	10 W	10 W	
HDMI Connectivity	2	2	2	2	
Crestron RoomView/ AMX Device Discovery	✓	✓	✓	✓	
HDBaseT	✓	✓	✓	✓	
Content Playback	\checkmark	✓	✓	\checkmark	
Warranty ¹	5 yrs	5 yrs	5 yrs	5 yrs	

G AND L SERIES LENSES (16:10 ASPECT RATIO)

Model Name	ELPLX01	ELPLU03	ELPLU04	ELPLM08	ELPLM15	ELPLM10	ELPLM11	ELPLW05	ELPLW06	ELPLL08	ELPLW08
	Ultra Short Throw Lens	Short Throw Lens #1	Short Throw Lens #2	Middle Throw Lens #1	Middle Throw Lens #2	Middle Throw Lens #3	Middle Throw Lens #4	Wide Throw Lens #1	Wide Throw Lens #2	Long Throw Lens	Wide Throw Lens #3
Zoom Ratio (excluding EB-L1505UH/1755U/20000U)	1x Optical	1.2x Optical	1.2x Optical	1.6x Optical	1.6x Optical	1.5x Optical	1.5x Optical	1.4x Optical	1.4x Optical	1.4x Optical	1.4x Optical
Zoom Ratio (EB-L1505UH/1755U/20000U)	N/A	1.2x Optical	1.2x Optical	N/A	1.6x Optical	1.5x Optical	1.5x Optical	1.4x Optical	1.4x Optical	1.4x Optical	1.4x Optical
Throw Ratio (excluding EB-L1505UH/1755U/20000U)	0.35	0.65 - 0.78	0.87 - 1.05	1.44 - 2.32	2.16 - 3.48	3.32 - 5.06	4.85 - 7.38	1.04 - 1.46	1.62 - 2.22	7.21 - 10.11	1.18 – 1.66
Throw Ratio (EB-L1505UH/1755U/20000U)	N/A	0.48 - 0.57	0.64 - 0.77	N/A	1.57 - 2.56	2.42 - 3.71	3.54 - 5.41	0.77 - 1.07	1.19 - 1.62	5.27 - 7.41	0.86 – 1.21

EB-L12000Q/25000U LENS OPTIONS ARE NOT SPECIFIED IN THIS GUIDE

MODEL (L-SERIES):	EB-L1070WNL	EB-L1060UNL/ L1065UNL	EB-L1070UNL/ L1075UNL	EB-L1490UNL/ L1495UNL
Light Source	Laser	Laser	Laser	Laser
Model Colour	White	White (L1060U) Black (L1065U)	White (L1070U) Black (L1075U)	White (L1490U) Black (L1495U)
Resolution	WXGA	WUXGA	WUXGA	WUXGA
Lumens Light Output (Colour/White)	7,000/7,000	6,000/6,000	7,000/7,000	9,000/9,000
Lens Shift (Powered)	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%	Vertical: ±67% Horizontal: ±30%
Zoom	1.6x Optical (LM08)	1.6x Optical (LM08)	1.6x Optical (LM08)	1.6x Optical (LM08)
Lens Memory	10 Positions	10 Positions	10 Positions	10 Positions
Operating Angle	360°	360°	360°	360°
Wireless	✓	✓	✓	✓
Network	Optional	Optional	Optional	Optional
Digital Connectivity	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Frame Interpolation	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT	HDMI/DVI-D/HDBaseT/SDI
Edge Blending	✓	✓	✓	✓
Content Playback	✓	✓	✓	✓
Crestron RoomView / AMX Device Discovery	✓	✓	✓	✓
HDBaseT	✓	✓	✓	✓
4K Enhancement	✓	✓	✓	✓
Lens Options	11	11	11	10
Warranty ¹	5 yrs	5 yrs	5 yrs	5 yrs

LARGE VENUE

MODEL (L-SERIES):	EB-L1505UHNL	EB-L1755UNL
Light Source	Laser	Laser
Model Colour	Black	Black
Resolution	WUXGA	WUXGA
Lumens Light Output (Colour/White)	12,000/12,000	15,000/15,000
Lens Shift (Powered)	Vertical: ±60% Horizontal: ±18%	Vertical: ±60% Horizontal: ±18%
Zoom	1.6x Optical (LM15)	1.6x Optical (LM15)
Lens Memory	10 Positions	10 Positions
Operating Angle	360°	360°
Wireless	Optional	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT/SDI	HDMI/DVI-D/HDBaseT/SDI
Edge Blending	✓	✓
Crestron RoomView/AMX Device Discovery	✓	✓
Art-Net	✓	\checkmark
4K Enhancement	✓	✓
Lens Options	10	10
Warranty ¹	5 yrs	5 yrs



MODEL:	EB-L12000QNL	EB-L20000UNL	EB-L25000UNL
Light Source	Laser	Laser	Laser
Model Colour	Black	Black	Black
Resolution	4K	WUXGA	WUXGA
Lumens Light Output (Colour/White)	12,000/12,000	20,000/20,000	25,000/25,000
Lens Shift (Powered)	Vertical: ±58% Horizontal: ±16%	Vertical: ±60% Horizontal: ±18%	Vertical: ±65% Horizontal: ±30%
Zoom	1.6x Optical (LM15)	1.6x Optical (LM15)	1.35x Optical (LM12*)
Lens Memory	10 Positions	10 Positions	10 Positions
Operating Angle	360°	360°	360°
Wireless	✓	\checkmark	Optional
Network	Monitor/Control/Presentation	Monitor/Control/Presentation	Monitor/Control/Presentation
Digital Connectivity	HDMI/DVI-D/HDBaseT/SDI	HDMI/DVI-D/HDBaseT/SDI	HDMI/DVI-D/HDBaseT/SDI
Edge Blending	✓	\checkmark	✓
Crestron RoomView / AMX Device Discovery	✓	✓	\checkmark
Art-Net	✓	✓	✓
4K Enhancement	✓	\checkmark	\checkmark
Lens Options	8*	8	8*
Warranty ¹	5 yrs	5 yrs	5 yrs

HOME THEATRE

Experience rich cinematic adventures at home with **Epson home cinema projectors.** Whether you enjoy movies, games, or sporting events, every image is sure to pop off the screen with state-of-the-art, innovative projector features.



MODEL:	EF-100W	EF-100B	EH-TW5600
Light Source	Laser	Laser	Lamp
Model Colour	White	Black	White
Resolution	WXGA	WXGA	1080р
Lumens Light Output (Colour/White)	2,000/2,000	2,000/2,000	2,500/2,500
Contrast Ratio	2,500,000:1	2,500,000:1	35,000:1
3D Capable	_	-	\checkmark
Keystone Correction	Vertical $\pm 45^{\circ}$ (Automatic) Horizontal $\pm 40^{\circ}$ (Manual)	Vertical ±45° (Automatic) Horizontal ±40° (Manual)	Vertical: ±30° (Automatic) Horizontal: ±30° (Manual)
Lens Shift	N/A	N/A	Vertical: ±15%
Built in Speakers	5 W	5 W	10 W
HDMI Connectivity	1	1	2

Introducing a new type of 4K1 home theatre projection technology from Epson. 4K Pro UHD projectors faithfully display all your favourite content from the classics to the latest blockbusters.



MODEL:	EH-TW7100	EH-TW8400	EH-TW9400	EH-TW9400W*
Model Colour	White	White	Black	White
Resolution	1080p (4K Enhancement)	1080p (4K Enhancement)	1080p (4K Enhancement)	1080p (4K Enhancement)
Lumens Light Output (Colour/White)	3,000/3,000	2,600/2,600	2,600/2,600	2,600/2,600
Contrast Ratio	100,000:1	1,000,000:1	1,200,000:1	1,200,000:1
HDR Capable - HDR10	✓	✓	✓	✓
Keystone Correction	Vertical ±30° Horizontal ±30°	Vertical ±30° Horizontal ±30°	Vertical ±30°	Vertical ±30°
Lens Shift (Powered)	Vertical ±60% (Manual) Horizontal ±74% (Manual)	Vertical ±96.3% Horizontal ±47.1%	Vertical ±96.3% Horizontal ±47.1%	Vertical ±96.3% Horizontal ±47.1%
Lens Memory	10 Positions	10 Positions	10 Positions	10 Positions
HDMI Connectivity	2	2	2	2
THX3D and ISF Certification	✓	✓	✓	✓
WirelessHD	-	-	-	✓
Warranty ²	3 yrs	3 yrs	3 yrs	3 yrs

¹ 4K ENHANCEMENT TECHNOLOGY (4KE) SHIFTS EACH PIXEL DIAGONALLY TO DOUBLE FULL HD (1920X1080) RESOLUTION. RESOLUTION IS FULL HD IN 3D MODE. ² FOR WARRANTY CONDITIONS PLEASE VISIT EPSON.COM.AU/WARRANTY/PROJECTOR

^{*} EH-TW9400W NOT AVAILABLE IN NEW ZEALAND † WARRANTY DIFFERS IN NEW ZEALAND

LIGHTSCENE

Transform your space into a vivid, captivating experience with Epson's LightScene laser projectors. Combining Epson's 3LCD laser technology with a fully sealed optical engine, LightScene projectors can rotate 360 degrees horizontally, giving you the freedom to create stunning display combinations unique to your setting. Have the flexibility to illuminate and project onto virtually any surface or material, making it the perfect fit for any environment – from retail, hospitality, and event spaces to show rooms and museums.




	9
11112 (1417)	
IVISION ELECTRONISH	YEAR A
FOR WARRANTY CONDITIONS PLEASE VISIT EPSON COM ALVAVA	APPANITY/PRO JECTOR

MODEL:	EV -100	EV -105
Light Source	Laser	Laser
Model Colour	White	Black
Resolution	WXGA	WXGA
Lumens Light Output (Colour/White)	2,000/2,000	2,000/2,000
Keystone	Vertical: ±45° Horizontal: ±40°	Vertical: ±45° Horizontal: ±40°
Zoom Ratio	Optical zoom: 1 - 1.58 Digital zoom: 1 - 1.4	Optical zoom: 1 - 1.58 Digital zoom: 1 - 1.4
Edge Blending	✓	✓
Crestron Connected	✓	✓
Art-Net	✓	✓
Content Playback	✓	✓
Wireless	✓	✓
Warranty ¹	5 yrs	5 yrs

 $^1 \mbox{FOR WARRANTY CONDITIONS PLEASE VISIT EPSON.COM.AU/WARRANTY/PROJECTOR$

OPTIONS

AND ACCESSORIES



Air Filters

Regularly replace the air filter in your Epson projector in order to maintain image quality and to ensure longevity.



Lamps

Order genuine Epson lamps to ensure that you achieve the best possible image quality and colour reproduction.



Speakers

Enhance the audio experience with the Epson ELP-SP02 powered speaker set.



Control Pad

A simple cable management solution from Epson. Ideal for classrooms and meeting spaces.



HDBase-T

Eliminate the need to run expensive cables and signal repeater hardware by using the Epson HDBaseT transmitter.



Portable Screen

Epson portable, light weight 80 inch screen is the perfect display solution for your home or office.



Ceiling Mounts

Ceiling mounts to suit all models of Epson projectors.



Wireless LAN Adapter

A simple yet powerful solution to enabling wireless connectivity to your Epson projector (optional models only).

COLOUR LIGHT OUTPUT

KNOW YOUR PROJECTOR LUMENS

WHAT IS COLOUR BRIGHTNESS?

Many people are in the dark about colour brightness. Of the numerous specifications to consider when purchasing a projector, this measure of colour light output is among the most important.



COLOUR BRIGHTNESS

is a scientifically set global standard that measures a projector's Colour Light Output. This measure is crucial to gauge the performance of a projector.

LOW COLOUR Brightness HIGH COLOUR Brightness

Low Colour Brightness can result in images that are 1/3 as bright!

COLOUR BRIGHTNESS COUNTS

Colour is the keystone of any memorable presentation, increasing memory significantly over monochromatic visuals

86% of presentations contain colour



Colours at peak brightness and saturation attract the most attention

97% of consumers agree that brightness is a key component of image quality



3LCD TECHNOLOGY

Not All Projectors Are Created Equal. Using 3LCD technology means that you don't have to sacrifice the vibrancy of rich multimedia by projecting a single colour at a time.



EPSON CoverPlus SERVICE PACK OPTIONS

RETURN TO BASE

Epson CoverPlus SERVICE PACK

These service packs offer repair by an Epson Authorised Service Agent, with the cost of all parts and labour covered. This is available as either a 1, 2, or 3 year option.



RAPID EXCHANGE

Epson CoverPlus SERVICE PACK

With this service pack, a faulty product can be exchanged with a functional equivalent product the next day.

5 year Rapid Exchange cover is available with selected models.

ON-SITE

Epson CoverPlus SERVICE PACK

Enjoy on-site repair of your product by an Epson Authorised Service Agent. This pack is available with selected high-end projector models.



Please contact your dealer about **Epson CoverPlus** today.

Terms and conditions apply. For more information visit: www.epson.com.au/shoponline/coverplus

Epson CoverPlus

Fast. Reliable. Professional.

Epson is the registered trademark of Seiko Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are simulations. Specifications are subject to change without notice.

Better Products for a Better Future™



EPSON AUSTRALIA

3 Talavera Road North Ryde NSW 2113 Tel: (02) 8899 3666

www.epson.com.au

EPSON NEW ZEALAND

Level 2, 7-9 Fanshawe Street Auckland, 1010 Tel: (09) 366 6855

www.epson.co.nz

